


TP | **TECCO:PAPER**
PRODUCTION

PRODUCT RANGE 11/2009

INKJET PAPER



www.tecco.de

Tecco[®]
living paper

Index

1. TECCO:PAPER PRODUCTION

The **TECCO:PRODUCTION** product range contains tailor made printing substrates for all kinds of professional applications. They assure the maximum of flexibility due to the variety of products, sizes and applications. The printing quality meets the highest achievable standards.

The **TECCO:PRODUCTION** portfolio offers papers and printing substrates for all types of indoor and outdoor applications in the inkjet market.

- 1.1. Matt printing media
- 1.2. Glossy and semi matt printing media
- 1.3. Transparent printing media
- 1.4. Self-adhesive printing media
- 1.5. Textile and textile-like printing media
- 1.6. Complementary products

2. TECCO:PAPER PHOTO

TECCO:PHOTO papers are produced for use with all the well known inkjet printers and inks, various sizes are available from traditional photo size (10 x 15 cm) to 64 inch plotter rolls for wide format applications.



Professional photo prints can be achieved by using the TECCO:PHOTO RGB ICC profiles for Adobe™ Photoshop® which are available for most common inkjet printers for Windows® and Macintosh® systems. For more information please visit: www.tecco-photo.com/EN/downloads.html.



Professional Portrait

The TECCO:PHOTO Professional Portrait papers have been especially developed for the professional portrait photographer with the highest quality requirements. Besides classic matt, satin or glossy Ink-Jet papers, you will find in our Professional Portrait range special coated papers which are very close in appearance and feel to the traditional analogue portrait papers.



Photographers Selection

The TECCO:PHOTO Photographers Selection contains a unique selection of special media for prints in an extraordinary quality level. From a classical Baryt-Paper over duplex-coated album papers to ultra-white high glossy media, you will find exactly the products you need to provide your prints with that extra touch.



FineArt

The TECCO:PHOTO FineArt range contains a large variety of high quality papers for creative photographers and ambitious artists. From canvas to paper and cotton based artist papers, you will find in the TECCO:PHOTO FineArt portfolio a number of 100 % acid free, PH neutral products. Some of which are suitable for archival FineArt, with an average paper life time of more than 100 years.

3. TECCO:PAPER LASER

TECCO:LASER products enable you to achieve the maximum quality output from your laser printer.

The huge variety of different types of laser papers fulfill the requirements of a demanding market.

TECCO:LASER media distinguish themselves by a perfect toner adhesion, unique color fidelity and outstanding sharpness.

- 3.1. Matt printing media
- 3.2. Glossy and semi matt printing media
- 3.3. Transparent printing media
- 3.4. Self-adhesive printing media
- 3.5. Transfer papers
- 3.6. Printing media for special applications

Wipe fast	Water resistant	Fire resistant Class B1	FSC mixed sources	PEFC 100 %	Page
Special characteristics					

Printing media

1. Matt printing media

TECCO:PRODUCTION CL 350	(80 g/sqm)									1
TECCO:PRODUCTION CL 450	(90 g/sqm)									1
TECCO:PRODUCTION CL 500	(120 g/sqm)	●								2
TECCO:PRODUCTION DIL Preproofer IMPOCHECK	(120 g/sqm)	●								2
TECCO:PRODUCTION CH 220	(90 g/sqm)	●				●				3
TECCO:PRODUCTION CH 330 Premium	(90 g/sqm)	●				●				4
TECCO:PRODUCTION CH 305 SP	(120 g/sqm)	●								5
TECCO:PRODUCTION CH 340 Premium	(120 g/sqm)	●				●				6
TECCO:PRODUCTION CH 380 Premium	(180 g/sqm)	●				●				7
TECCO:PRODUCTION CH 330 DUO Premium	(100 g/sqm)	●				●				7
TECCO:PRODUCTION DIL Preproofer DUO Matt	(100 g/sqm)	●				●				8
TECCO:PRODUCTION CH 345 DUO	(130 g/sqm)	●								8
TECCO:PRODUCTION CH 355 DUO	(170 g/sqm)	●								9
TECCO:PRODUCTION Synthetic Paper WF	(90 g/sqm)	●	●							9
TECCO:PRODUCTION Tyvek WF	(150 g/sqm)	●	●							10
TECCO:PRODUCTION Vinyl Banner WR/II	(510 μ)	●	●							11
TECCO:PRODUCTION Roll-Up PET220	(220 μ) NEW	●	●							11

2. Glossy and semiglossy printing media

TECCO:PRODUCTION CHS-GLU/II Glossy	(190 g/sqm)	●						●		12
TECCO:PRODUCTION GW265 Glossy White	(265 g/sqm)	●								13
TECCO:PRODUCTION CCG250 DUO Glossy/Matt	(250 g/sqm)	●								13
TECCO:PRODUCTION CHS-SMU/II Semiglossy	(190 g/sqm)	●						●		14
TECCO:PRODUCTION SW265 Satin White	(265g/sqm)	●								15
TECCO:PRODUCTION SW300 Satin White	(300 g/sqm) NEW	●								15
TECCO:PRODUCTION CPGWF/II Semimatt	(150 g/sqm)	●								16
TECCO:PRODUCTION CPGWF/II 'Heavy' Semimatt	(180 g/sqm)	●								16
TECCO:PRODUCTION CPGWF/II DUO Semimatt	(170 g/sqm)	●								17
TECCO:PRODUCTION DIL Preproofer DUO Semimatt	(170 g/sqm)	●								17

3. Transparent printing media

TECCO:PRODUCTION Transparentpapier	(95 g/sqm)							●		18
TECCO:PRODUCTION Screen Film	(139 μ)	●								18
TECCO:PRODUCTION Backlit MP Universal	(140 μ)	●	●							19
TECCO:PRODUCTION Backlit Supernova	(175 μ) NEW	●	●							19

4. Self-adhesive printing media

TECCO:PRODUCTION 177 SA Matt	(190 g/sqm)	●								20
TECCO:PRODUCTION CHS-SMU/II SA Semiglossy	(280 g/sqm)	●								20
TECCO:PRODUCTION CHS-GLU/II SA Glossy	(280 g/sqm)	●								21
TECCO:PRODUCTION Synthetic Paper WF/SA Matt	(160 g/sqm)	●	●							21
TECCO:PRODUCTION Vinyl WR/SA Matt	(300 μ)	●	●							22
TECCO:PRODUCTION Vinyl WR/SA Glossy	(300 μ)	●	●							22
TECCO:PRODUCTION Screen Film SA	(189 μ)	●								23

5. Textile and textile-like printing media

TECCO:PRODUCTION 'Japan-Faser'	(80 g/sqm)							●		23
TECCO:PRODUCTION TBW220 Textile Banner	(220g/sqm)	●	●	●						24

6. Complementary products

TECCO:PRODUCTION Roll-Up Display 600	NEW									25
TECCO:PRODUCTION Roll-Up Display 850	NEW									25
TECCO:PRODUCTION Roll-Up Bundle 850/914	NEW									25
TECCO:PRODUCTION Roll-Up Bundle 850/850	NEW									25



Responsible Forest Management
GFA-CoC-001725
© 1996 Forest stewardship Council A.C.



PEFC™
PEFC/04-31-1091

Printing media

NEW

part no.

unit

size

core

price

Special characteristics
(depending on ink used)

1. Matt printina media

TECCO:PRODUCTION CL 350

(80 g/qm)

Uncoated paper, e.g. for CAD and layout proofs;
universal paper with excellent price /
performance ratio

**) full pallet

6755610050	6 rolls	61,0 cm x 50 m (24")	2"
6755610069	20x6 r. **	61,0 cm x 50 m (24")	2"
6755914050	6 rolls	91,4 cm x 50 m (36")	2"
6755914069	12x6 r. **	91,4 cm x 50 m (36")	2"
6755914100	2 rolls	91,4 cm x 100 m (36")	2"
6755107050	6 rolls	106,7 cm x 50 m (42")	2"
6755107069	12x6 r. **	106,7 cm x 50 m (42")	2"
6755107100	2 rolls	106,7 cm x 100 m (42")	2"

TECCO:PRODUCTION CL 450

(90 g/sqm)

Uncoated paper , e.g. for CAD and layout proofs

*) All roll units are supplied with
each two adapters 3" to 2" core.

**) full pallet

5911210297	200 sheets	DIN A4	
5911297420	200 sheets	DIN A3	
5911330483	200 sheets	DIN A3+	
5911420594	200 sheets	DIN A2	
5911480628	200 sheets	DIN A2+	
5911594841	200 sheets	DIN A1	
5911625914	200 sheets	DIN A1+	
5911841118	200 sheets	DIN A0	
5911914125	200 sheets	DIN A0++	
5911432051	roll	43,2 cm x 50 m (17")	3" *)
5911432069	80 r. **	43,2 cm x 50 m (17")	3" *)
5911610050	roll	61,0 cm x 50 m (24")	2"
5911610069	80 r. **	61,0 cm x 50 m (24")	2"
5911914050	roll	91,4 cm x 50 m (36")	2"
5911914069	50 r. **	91,4 cm x 50 m (36")	2"
5911107050	roll	106,7 cm x 50 m (42")	2"
5911107069	50 r. **	106,7 cm x 50 m (42")	2"
5911111050	roll	111,8 cm x 50 m (44")	2"
5911111069	50 r. **	111,8 cm x 50 m (44")	2"
5911127050	roll	127,0 cm x 50 m (50")	2"
5911999998	Sample	43,2 cm x 5 m (17")	3" *)

Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW part no. unit size core price

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION CL 500

(120 g/sqm)



Uncoated paper, e.g. for CAD and layout proofs; suitable also for 2-side prints

***) All roll units are supplied with each two adapters 3" to 2" core.**

****) full pallet**

NEW	6753330483	200 sheets	DIN A3+		
	6753432050	roll	43,2 cm x 50 m (17")	3" *	
	6753432069	80 r. **	43,2 cm x 50 m (17")	3" *	
	6753610050	roll	61,0 cm x 50 m (24")	2"	
	6753610069	80 r. **	61,0 cm x 50 m (24")	2"	
	6753914050	roll	91,4 cm x 50 m (36")	2"	
	6753914069	50 r. **	91,4 cm x 50 m (36")	2"	
	6753914076	roll	91,4 cm x 75 m (36")	3" *	
	6753107050	roll	106,7 cm x 50 m (42")	2"	
	6753107069	50 r. **	106,7 cm x 50 m (42")	2"	
	6753109076	roll	109,0 cm x 75 m (42,9")	3" *	
	6753127076	roll	127,0 cm x 75 m (50")	3" *	
NEW	6753137051	roll	137,2 cm x 50 m (54")	3" *	
NEW	6753152051	roll	152,4 cm x 50 m (60")	3" *	
NEW	6753162051	roll	162,6 cm x 50 m (64")	3" *	
	6753999999	Sample	43,2 cm x 5 m (17")	3" *	



TECCO:PRODUCTION DIL Preproofer Impocheck

(120 g/sqm)



Double-side uncoated and calandered paper, high resolution, 1440 dpi for 2-side proofing; **packing units:** 24"x60m: 30 rolls per pallet or 10 rolls per welltainer; 44"x60m 15 rolls per pallet or 6 rolls per welltainer



	6519610062	roll	61,0 cm x 60 m (24")	6"	
	6519111062	roll	111,8 cm x 60 m (44")	6"	
	6519999997	Sample	61,0 cm x 5 m (24")	6"	
	6519999998	Sample	111,8 cm x 5 m (44")	6"	



Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

price

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION CH 220

(90 g/sqm)



Responsible Forest Management
GFA-CoC-001725
© 1996 Forest stewardship Council A.C.

Coated paper, high resolution, 1440 dpi, for poster prints, **universal paper with excellent price / performance ratio**

***) All roll units are supplied with each two adapters 3" to 2" core.**

****) full pallet**

6768210297	200 sheets	DIN A4	
6768297420	200 sheets	DIN A3	
6768330483	200 sheets	DIN A3+	
6768420594	200 sheets	DIN A2	
6768432071	roll	43,2 cm x 70 m (17")	3" *)
6768432069	80 R.**	43,2 cm x 70 m (17")	3" *)
6768610070	roll	61,0 cm x 70 m (24")	2"
6768610069	80 R.**	61,0 cm x 70 m (24")	2"
6768914070	roll	91,4 cm x 70 m (36")	2"
6768914069	50 R.**	91,4 cm x 70 m (36")	2"
6768107070	roll	106,7 cm x 70 m (42")	2"
6768107069	50 R.**	106,7 cm x 70 m (42")	2"
6768111070	roll	111,8 cm x 70 m (44")	2"
6768111069	50 R.**	111,8 cm x 70 m (44")	2"
6768127070	roll	127,0 cm x 70 m (50")	2"
6768137070	roll	137,2 cm x 70 m (54")	2"
6768152070	roll	152,4 cm x 70 m (60")	2"
6768999999	Sample	43,2 cm x 5 m (17")	3" *)



Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW part no. unit size core price

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION CH 330 Premium

(90 g/sqm)



Responsible Forest Management
GFA-CoC-001725
© 1996 Forest stewardship Council A.C.

Premium coated paper, very high resolution, 5760 dpi, for poster plots in photo quality, excellent printing results especially when using pigmented inks. **Excellent price / performance ratio.**

***) All roll units are supplied with each two adapters 3" to 2" core.**

****) full pallet**



6763210297	200 sheets		DIN A4	
6763297420	200 sheets		DIN A3	
6763330483	200 sheets		DIN A3+	
6763420594	200 sheets		DIN A2	
6763480628	200 sheets		DIN A2+	
6763594841	200 sheets		DIN A1	
6763625914	200 sheets		DIN A1+	
6763841118	200 sheets		DIN A0	
6763914125	200 sheets		DIN A0++	
6763210015	roll	21,0 cm x 15 m (8,3")	2"	
6763329015	roll	32,9 cm x 15 m (13")	2"	
6763420015	roll	42,0 cm x 15 m (16,5")	1"	
6763432045	roll	43,2 cm x 45 m (17")	3" *)	
6763432069	80 r. **	43,2 cm x 45 m (17")	3" *)	
6763610045	roll	61,0 cm x 45 m (24")	2"	
6763610069	80 r. **	61,0 cm x 45 m (24")	2"	
NEW 6763610070	roll	61,0 cm x 70 m (24")	2"	
6763914045	roll	91,4 cm x 45 m (36")	2"	
6763914069	50 r. **	91,4 cm x 45 m (36")	2"	
6763914070	roll	91,4 cm x 70 m (36")	2"	
6763107045	roll	106,7 cm x 45 m (42")	2"	
6763107069	50 r. **	106,7 cm x 45 m (42")	2"	
6763111045	roll	111,8 cm x 45 m (44")	2"	
6763111069	50 r. **	111,8 cm x 45 m (44")	2"	
6763127045	roll	127,0 cm x 45 m (50")	2"	
6763135045	roll	135,0 cm x 45 m (53,125")	3" *)	
6763137045	roll	137,2 cm x 45 m (54")	2"	
6763137070	roll	137,2 cm x 70 m (54")	2"	
6763152045	roll	152,4 cm x 45 m (60")	2"	
6763999997	Sample	43,2 cm x 5 m (17")	3" *)	

Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW part no. unit size core price

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION CH 305 SP

(120 g/sqm)

Coated paper, high resolution, 2880 dpi, for poster plots in photo quality, universal paper with excellent price / performance ratio

*) All roll units are supplied with each two adapters 3" to 2" core.

**) full pallet

5949210297	200 sheets		DIN A4	
5949297420	200 sheets		DIN A3	
5949330483	200 sheets		DIN A3+	
5949420594	200 sheets		DIN A2	
5949480628	200 sheets		DIN A2+	
5949594841	200 sheets		DIN A1	
5949625914	200 sheets		DIN A1+	
5949329015	roll	32,9 cm x 15 m (13")	2"	
5949432035	roll	43,2 cm x 35 m (17")	3" *)	
5949432069	80 r. **	43,2 cm x 35 m (17")	3" *)	
5949610035	roll	61,0 cm x 35 m (24")	2"	
5949610069	80 r. **	61,0 cm x 35 m (24")	2"	
5949914036	roll	91,4 cm x 35 m (36")	3" *)	
5949914035	roll	91,4 cm x 35 m (36")	2"	
5949914069	50 r. **	91,4 cm x 35 m (36")	2"	
5949107035	roll	106,7 cm x 35 m (42")	2"	
5949107069	50 r. **	106,7 cm x 35 m (42")	2"	
5949111035	roll	111,8 cm x 35 m (44")	2"	
5949111069	50 r. **	111,8 cm x 35 m (44")	2"	
5949111036	roll	111,8 cm x 35 m (44")	3" *)	
5949127035	roll	127,0 cm x 35 m (50")	2"	
5949135035	roll	135,0 cm x 35 m (53,125")	3" *)	
5949137035	roll	137,2 cm x 35 m (54")	2"	
5949137036	roll	137,2 cm x 35 m (54")	3" *)	
5949152035	roll	152,4 cm x 35 m (60")	2"	
5949999998	Sample	43,2 cm x 5 m (17")	3" *)	



Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW part no. unit size core price

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION CH 340 Premium

(120 g/sqm)



Premium coated paper, very high resolution, 5760 dpi, for poster plots in photo quality, excellent printing results especially when using pigmented inks.



Responsible Forest Management
GFA-CoC-001725
© 1996 Forest stewardship Council A.C.

*) All roll units are supplied with each two adapters 3" to 2" core.



5984210297	100 sheets	DIN A4	
5984297420	100 sheets	DIN A3	
5984330483	100 sheets	DIN A3+	
5984420594	100 sheets	DIN A2	
5984480628	100 sheets	DIN A2+	
5984594841	100 sheets	DIN A1	
5984625914	100 sheets	DIN A1+	
5984841118	100 sheets	DIN A0	
5984914125	100 sheets	DIN A0++	
5984250035	roll	25,0 cm x 35 m (10")	2"
5984297035	roll	29,7 cm x 35 m (11,7")	2"
5984297050	roll	29,7 cm x 50 m (11,7")	3" *)
5984420035	roll	42,0 cm x 35 m (16,5")	2"
5984432036	roll	43,2 cm x 35 m (17")	3" *)
5984594050	roll	59,4 cm x 50 m (23,4")	3" *)
5984610035	roll	61,0 cm x 35 m (24")	2"
5984914035	roll	91,4 cm x 35 m (36")	2"
5984914050	roll	91,4 cm x 50 m (36")	3" *)
5984107035	roll	106,7 cm x 35 m (42")	2"
5984107050	roll	106,7 cm x 50 m (42")	3" *)
5984112035	roll	111,8 cm x 35 m (44")	2"
5984127035	roll	127,0 cm x 35 m (50")	2"
5984135035	roll	135,0 cm x 35 m (53,125")	3" *)
5984137035	roll	137,2 cm x 35 m (54")	2"
5984137050	roll	137,2 cm x 50 m (54")	3" *)
5984152035	roll	152,4 cm x 35 m (60")	2"
5984162036	roll	162,6 cm x 35 m (64")	3" *)
5984182035	roll	182,8 cm x 35 m (72")	2"
5984999997	Sample	43,2 cm x 5 m (17")	3" *)

Printing media

NEW

part no.

unit

size

core

price

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION CH 380 Premium

(180 g/sqm)



Responsible Forest Management
GFA-CoC-001725
© 1996 Forest stewardship Council A.C.

Premium coated paper, very high resolution, 5760 dpi, for poster plots in photo quality, excellent printing results especially when using pigmented inks.

*) All roll units are supplied with each two adapters 3" to 2" core.

6762210297	100 sheets	DIN A4	
6762297420	100 sheets	DIN A3	
6762330483	100 sheets	DIN A3+	
6762420594	100 sheets	DIN A2	
NEW 6762329036	roll	32,9 cm x 35 m (13")	3" *
6762432036	roll	43,2 cm x 35 m (17")	3" *
6762610036	roll	61,0 cm x 35 m (24")	3" *
6762914036	roll	91,4 cm x 35 m (36")	3" *
6762107036	roll	106,7 cm x 35 m (42")	3" *
6762111036	roll	111,8 cm x 35 m (44")	3" *
6762127036	roll	127,0 cm x 35 m (50")	3" *
6762137036	roll	137,2 cm x 35 m (54")	3" *
6762152036	roll	152,4 cm x 35 m (60")	3" *
6762162036	roll	162,6 cm x 35 m (64")	3" *



6762999999 Sample 43,2 cm x 5 m (17") 3" *

TECCO:PRODUCTION CH 330 DUO Premium

(100 g/sqm)



Responsible Forest Management
GFA-CoC-001725
© 1996 Forest stewardship Council A.C.

Premium double side coated paper, high resolution, 2880 dpi, for poster plots in photo quality, excellent printing results especially when using pigmented inks.

*) All roll units are supplied with each two adapters 3" to 2" core.

5974210297	200 sheets	DIN A4	
5974211297	50 sheets	DIN A4	
5974297420	200 sheets	DIN A3	
5974330483	200 sheets	DIN A3+	
5974420594	200 sheets	DIN A2	
5974813107	200 sheets	81,3 cm x 106,7 cm	
5974841118	200 sheets	DIN A0	
5974432046	roll	43,2 cm x 45 m (17")	3" *
5974610045	roll	61,0 cm x 45 m (24")	2"
5974914045	roll	91,4 cm x 45 m (36")	2"
5974107045	roll	106,7 cm x 45 m (42")	2"
59714107046	roll	106,7 cm x 45 m (42")	3" *
5974107075	roll	106,7 cm x 75 m (42")	2"
5974111045	roll	111,8 cm x 45 m (44")	2"
5974127045	roll	127,0 cm x 45 m (50")	2"
5974127076	roll	127,0 cm x 75 m (50")	3" *
5974152045	roll	152,4 cm x 45 m (60")	2"



5974999998 Sample 43,2 cm x 5 m (17") 3" *

Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

price

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION DIL Preproofer DUO Matt

(100 g/sqm)



Premium double side coated paper, high resolution, 1440 dpi for DUAL Proofs with the DIL Preproofer



Responsible Forest Management
GFA-CoC-001725

© 1996 Forest stewardship Council A.C.

5938610060

roll

61,0 cm x 60 m (24")

6"

5938112060

roll

111,8 cm x 60 m (44")

6"

5938999997

Sample

61,0 cm x 5 m (24")

6"

5938999998

Sample

111,8 cm x 5 m (44")

6"



TECCO:PRODUCTION CH 345 DUO

(130 g/sqm)



Premium double side coated paper, high resolution, 1440 dpi

5939210297 100 sheets

DIN A4

5939297420 100 sheets

DIN A3

5939330483 100 sheets

DIN A3+

5939420594 100 sheets

DIN A2

5939594841 100 sheets

DIN A1

5939813107 100 sheets

81,3 cm x 106,7 cm

5939432036 roll

43,2 cm x 35 m (17")

3" *)

5939610035 roll

61,0 cm x 35 m (24")

2"

5939914035 roll

91,4 cm x 35 m (36")

2"

5939107035 roll

106,7 cm x 35 m (42")

2"

5939107036 roll

106,7 cm x 35 m (42")

3" *)

5939111035 roll

111,8 cm x 35 m (44")

2"

5939999997

Sample

43,2 cm x 5 m (17")

3" *)

*) All roll units are supplied with each two adapters 3" to 2" core.



Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

price

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION CH 355 DUO

(170 g/sqm)



Premium double side coated paper, high resolution, 1440 dpi, e. g. for poster plots, tickets, business cards, invitations, certificates, menus etc.

*) All roll units are supplied with each two adapters 3" to 2" core.

5946210297	100 sheets	DIN A4			
5946297420	100 sheets	DIN A3			
5946330483	100 sheets	DIN A3+			
5946420594	100 sheets	DIN A2			
5946594841	100 sheets	DIN A1			
5946432021	roll	43,2 cm x 20 m (17")	3" *		
5946610021	roll	61,0 cm x 20 m (24")	3" *		
5946914021	roll	91,4 cm x 20 m (36")	3" *		
5946107021	roll	106,7 cm x 20 m (42")	3" *		
5946111021	roll	106,7 cm x 20 m (44")	3" *		
5946999997	Sample	43,2 cm x 5 m (17")	3" *		



TECCO:PRODUCTION Synthetic Paper WF

(90 g/sqm)

Polypropylene, strong and durable paper-like product, water resistant in combination with pigmented inks

*) All roll units are supplied with each two adapters 3" to 2" core.

6054210297	50 sheets	DIN A4			
6054297420	50 sheets	DIN A3			
6054420594	100 sheets	DIN A2			
6054432046	roll	43,2 cm x 45 m (17")	3" *		
6054610045	roll	61,0 cm x 45 m (24")	2"		
6054914045	roll	91,4 cm x 45 m (36")	2"		
6054914046	roll	91,4 cm x 45 m (36")	3" *		
6054107045	roll	106,7 cm x 45 m (42")	2"		
6054111045	roll	111,8 cm x 45 m (44")	2"		
6054127045	roll	127,0 cm x 45 m (50")	2"		
6054999997	Sample	43,2 cm x 5 m (17")	3" *		



Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW part no. unit size core price

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION Tyvek WF (150 g/sqm)

Strong, tear proof, paper-like product, e. g. for banner printing and other outdoor applications

***) All roll units are supplied with each two adapters 3" to 2" core.**

6034210297	50 sheets		DIN A4		
6034297420	50 sheets		DIN A3		
6034330483	50 sheets		DIN A3+		
6034420594	100 sheets		DIN A2		
6034329010	roll	32,9 cm x 10 m (13")		2"	
6034420010	roll	42,0 cm x 10 m (16,5")		1"	
6034432021	roll	43,2 cm x 20 m (17")		3" *)	
6034610020	roll	61,0 cm x 20 m (24")		2"	
6034914020	roll	91,4 cm x 20 m (36")		2"	
6034107020	roll	106,7 cm x 20 m (42")		2"	
6034112020	roll	111,8 cm x 20 m (44")		2"	
6034127020	roll	127,0 cm x 20 m (50")		2"	
6034135020	roll	135,0 cm x 20 m (53,125")		3" *)	
6034137020	roll	137,0 cm x 20 m (54")		2"	
6034999998	Sample	43,2 cm x 5 m (17")		3" *)	



Printing media

NEW	part no.	unit	size	core	price
-----	----------	------	------	------	-------

Special characteristics
(depending on ink used)

1. Matt printing media

TECCO:PRODUCTION Vinyl Banner WR/II (510 µ)

Very heavy vinyl (tarpaulin material), non self-adhesive, water resistant in combination with pigmented inks

***) All roll units are supplied with each two adapters 3" to 2" core.**

6752432016	roll	43,2 cm x 15 m (17")	3" *
6752610015	roll	61,0 cm x 15 m (24")	2"
6752914015	roll	91,4 cm x 15 m (36")	2"
6752107015	roll	106,7 cm x 15 m (42")	2"
6752112015	roll	111,8 cm x 15 m (44")	2"
6752127015	roll	127,0 cm x 15 m (50")	2"
6752999998	Sample	43,2 cm x 5 m (17")	3" *



TECCO:PRODUCTION Roll-Up PET220 (220 µ)

The Roll-Up PET 220 is a highly white rigid vinyl film with a very high opacity (BLOCK-OUT). It is an outstanding product with a perfect flatness dedicated to high quality prints with either dye or pigmented inks.

Just a good results can be achieved in combination with mild solvent inks. In combination with the TECCO:PRODUCTION Roll-Up Display this substrate is the ideal solution for high quality presentations with an excellent price / performance ratio.

***) Alle Rollenformate enthalten je zwei Adapter 3" auf 2" Kern.**

NEW 6757610021	roll	61,0 cm x 20 m (24")	3" *
NEW 6757850021	roll	85,0 cm x 20 m (33,4")	3" *
NEW 6757914021	roll	91,4 cm x 20 m (36")	3" *
NEW 6757999997	Sample	61,0 cm x 5 m (24")	3" *
NEW 6757999998	Sample	85,0 cm x 5 m (33,4")	3" *
NEW 6757999999	Sample	91,4 cm x 5 m (36")	3" *



Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW part no. unit size core price

Special characteristics
(depending on ink used)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION CHS-GLU/II Glossy

(190 g/sqm)



Glossy paper, PE coated, high resolution, microporous, 2880 dpi, suitable for both hot and cold lamination



*) All roll units are supplied with each two adapters 3" to 2" core.



6021212297	25 sheets		DIN A4		
6021210297	50 sheets		DIN A4		
6021297420	50 sheets		DIN A3		
6021330483	50 sheets		DIN A3+		
6021420594	100 sheets		DIN A2		
6021480628	100 sheets		DIN A2+		
6021594841	100 sheets		DIN A1		
6021625914	100 sheets		DIN A1+		
6021841118	100 sheets		DIN A0		
6021914125	100 sheets		DIN A0++		
6021329030	roll	32,9 cm x 30 m (13")		2"	
6021432031	roll	43,2 cm x 30 m (17")		3" *)	
6021610030	roll	61,0 cm x 30 m (24")		2"	
6021914030	roll	91,4 cm x 30 m (36")		2"	
6021107030	roll	106,7 cm x 30 m (42")		2"	
6021111030	roll	111,8 cm x 30 m (44")		2"	
6021127030	roll	127,0 cm x 30 m (50")		2"	
6021132030	roll	132,0 cm x 30 m (52")		2"	
6021137030	roll	137,0 cm x 30 m (54")		2"	
6021152030	roll	152,4 cm x 30 m (60")		2"	
6021162031	roll	162,6 cm x 30 m (64")		3" *)	
6021999998	Sample	43,2 cm x 5 m (17")		3" *)	

Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

price

Special characteristics
(depending on ink used)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION GW265 Glossy White

(265 g/sqm)

Heavy-weight High-Gloss paper, PE coated, microporous, high resolution, 2880 dpi, for photorealistic prints in highest quality, suitable for both hot and cold lamination

***) All roll units are supplied with each two adapters 3" to 2" core.**

6758210297	50 sheets	DIN A4		
6758297420	50 sheets	DIN A3		
6758330483	50 sheets	DIN A3+		
6758420594	50 sheets	DIN A2		
6758329026	roll	32,9 cm x 25 m (13")	3" *	
6758432026	roll	43,2 cm x 25 m (17")	3" *	
6758610026	roll	61,0 cm x 25 m (24")	3" *	
6758914026	roll	91,4 cm x 25m (36")	3" *	
6758107026	roll	106,7 cm x 25 m (42")	3" *	
6758111026	roll	111,8 cm x 25 m (44")	3" *	
6758127026	roll	127,0 cm x 25 m (50")	3" *	
6758137026	roll	137,0 cm x 25 m (54")	3" *	
6758152026	roll	152,4 cm x 25 m (60")	3" *	
6758999999	Sample	43,2 cm x 5 m (17")	3" *	



TECCO:PRODUCTION CCGL250 DUO Glossy/Matt

(250 g/sqm)



High resolution coated Glossy-Paper (2880 dpi), backside matt/uncoated, very fast drying, wipefast

***) All roll units are supplied with each two adapters 3" to 2" core.**

6761210297	100 sheets	DIN A4		
6761241340	100 sheets	Super A4		
6761297420	100 sheets	DIN A3		
6761330483	100 sheets	DIN A3+		
6761420594	100 sheets	DIN A2		
6761432021	roll	43,2 cm x 20 m (17")	3" *	
6761610021	roll	61,0 cm x 20 m (24")	3" *	
6761914021	roll	91,4 cm x 20 m (36")	3" *	
6761107021	roll	106,7 cm x 20 m (42")	3" *	
6761111021	roll	111,8 cm x 20 m (44")	3" *	
6761127021	roll	127,0 cm x 20 m (50")	3" *	
6761999999	Sample	43,2 cm x 5 m (17")	3" *	



Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW part no. unit size core price

Special characteristics
(depending on ink used)

2. Glossv and semiglossv printing media

TECCO:PRODUCTION CHS-SMU/II Semiglossy

(190 g/sqm)



Semi matt paper, PE coated, microporous, high resolution, 2880 dpi, suitable for both hot and cold lamination



*) All roll units are supplied with each two adapters 3" to 2" core.



6022211297	25 sheets		DIN A4		
6022210297	50 sheets		DIN A4		
6022297420	50 sheets		DIN A3		
6022330483	50 sheets		DIN A3+		
6022420594	100 sheets		DIN A2		
6022480628	100 sheets		DIN A2+		
6022594841	100 sheets		DIN A1		
6022625914	100 sheets		DIN A1+		
6022841118	100 sheets		DIN A0		
6022914125	100 sheets		DIN A0++		
6022329030	roll	32,9 cm x 30 m (13")		2"	
6022360030	roll	36,0 cm x 30 m (14,17")		2"	
6022432031	roll	43,2 cm x 30 m (17")		3" *)	
6022610030	roll	61,0 cm x 30 m (24")		2"	
6022914030	roll	91,4 cm x 30 m (36")		2"	
6022107030	roll	106,7 cm x 30 m (42")		2"	
6022111030	roll	111,8 cm x 30 m (44")		2"	
6022127030	roll	127,0 cm x 30 m (50")		2"	
6022132030	roll	132,0 cm x 30 m (52")		2"	
6022137030	roll	137,0 cm x 30 m (54")		2"	
6022152030	roll	152,4 cm x 30 m (60")		2"	
NEW 6022162031	roll	162,6 cm x 30 m (64")		3" *)	
6022999998	Sample	43,2 cm x 5 m (17")		3" *)	

Printing media

NEW	part no.	unit	size	core	price
-----	----------	------	------	------	-------

Special characteristics
(depending on ink used)

2. Glossv and semiglossv printing media

TECCO:PRODUCTION SW265 Satin White (265 g/sqm)

Heavy-weight Satin-Gloss paper, PE coated, microporous, high resolution, 2880 dpi, for photorealistic prints in highest quality, suitable for both hot and cold lamination

***) All roll units are supplied with each two adapters 3" to 2" core.**

6759210297	50 sheets	DIN A4			
6759297420	50 sheets	DIN A3			
6759330483	50 sheets	DIN A3+			
6759420594	50 sheets	DIN A2			
6759329026	roll	32,9 cm x 25 m (13")	3" *		
6759432026	roll	43,2 cm x 25 m (17")	3" *		
6759610026	roll	61,0 cm x 25 m (24")	3" *		
6759914026	roll	91,4 cm x 25 m (36")	3" *		
6759107026	roll	106,7 cm x 25 m (42")	3" *		
6759111026	roll	111,8 cm x 25 m (44")	3" *		
6759127026	roll	127,0 cm x 25 m (50")	3" *		
6759137026	roll	137,0 cm x 25 m (54")	3" *		
6759152026	roll	152,4 cm x 25 m (60")	3" *		
6759999999	Sample	43,2 cm x 5 m (17")	3" *		



TECCO:PRODUCTION SW300 Satin White (300 g/qm)

Very heavy-weight Satin-Gloss paper, PE coated, microporous, high resolution, 2880 dpi, for photorealistic prints in highest quality, suitable for both hot and cold lamination

***) All roll units are supplied with each two adapters 3" to 2" core.**

NEW 6767210297	50 sheets	DIN A4			
NEW 6767297420	50 sheets	DIN A3			
NEW 6767330483	50 sheets	DIN A3+			
NEW 6767420594	50 sheets	DIN A2			
NEW 6767329026	roll	32,9 cm x 25 m (13")	3" *		
NEW 6767432026	roll	43,2 cm x 25 m (17")	3" *		
NEW 6767610026	roll	61,0 cm x 25 m (24")	3" *		
NEW 6767914026	roll	91,4 cm x 25 m (36")	3" *		
NEW 6767107026	roll	106,7 cm x 25 m (42")	3" *		
NEW 6767111026	roll	111,8 cm x 25 m (44")	3" *		
NEW 6767127026	roll	127,0 cm x 25 m (50")	3" *		
NEW 6767137026	roll	137,0 cm x 25 m (54")	3" *		
NEW 6767152026	roll	152,4 cm x 25 m (60")	3" *		
NEW 6767999999	Sample	43,2 cm x 5 m (17")	3" *		



Printing media

NEW

part no.

unit

size

core

price

Special characteristics
(depending on ink used)

2. Glossy and semiglossy printing media

TECCO:PRODUCTION CPGWF/II Semimatt

(150 g/sqm)

Universal semi matt paper, high resolution, 1440 dpi, very fast drying

***) All roll units are supplied with each two adapters 3" to 2" core.**

6510210297	100 sheets	DIN A4		
6510297420	100 sheets	DIN A3		
6510330483	100 sheets	DIN A3+		
6510420594	100 sheets	DIN A2		
6510432031	roll	43,2 cm x 30 m (17")	3" *	
6510457030	roll	45,7 cm x 30 m (18")	2"	
6510610030	roll	61,0 cm x 30 m (24")	2"	
6510914030	roll	91,4 cm x 30 m (36")	2"	
6510914031	roll	91,4 cm x 30 m (36")	3" *	
6510107030	roll	106,7 cm x 30 m (42")	2"	
6510111030	roll	111,8 cm x 30 m (44")	2"	
6510127030	roll	127,0 cm x 30 m (50")	2"	
6510132030	roll	132,0 cm x 30 m (52")	2"	
6510135031	roll	135,0 cm x 30 m (53,125")	3" *	
6510137030	roll	137,0 cm x 30 m (54")	2"	
6510137031	roll	137,0 cm x 30 m (54")	3" *	
6510152030	roll	152,4 cm x 30 m (60")	2"	
6510999997	Sample	43,2 cm x 5 m (17")	3" *	



TECCO:PRODUCTION CPGWF/II 'Heavy' Semimatt

(180 g/qm)



Universal semi matt paper, high resolution, 2880 dpi, very fast drying

***) All roll units are supplied with each two adapters 3" to 2" core.**

6515210297	100 sheets	DIN A4		
6515297420	100 sheets	DIN A3		
6515330483	100 sheets	DIN A3+		
6515420594	100 sheets	DIN A2		
6515432031	roll	43,2 cm x 30 m (17")	3" *	
6515610031	roll	61,0 cm x 30 m (24")	3" *	
6515914031	roll	91,4 cm x 30 m (36")	3" *	
6515107031	roll	106,7 cm x 30 m (42")	3" *	
6515111031	roll	111,8 cm x 30 m (44")	3" *	
6515127031	roll	127,0 cm x 30 m (50")	3" *	
6515137031	roll	137,2 cm x 30 m (54")	3" *	
6515152031	roll	152,4 cm x 30 m (60")	3" *	
6515162031	roll	162,6 cm x 30 m (64")	3" *	
6515999998	Sample	43,2 cm x 5 m (17")	3" *	



Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW

part no.

unit

size

core

price

Special characteristics
(depending on ink used)

2. Glossv and semiglossv printing media

TECCO:PRODUCTION CPGWF/II DUO Semimatt

(170 g/sqm)



Universal semi matt paper, high resolution, 1440 dpi, printable on both sides, very fast drying

***) All roll units are supplied with each two adapters 3" to 2" core.**

6514210297	100 sheets	DIN A4		
6514297420	100 sheets	DIN A3		
6514330483	100 sheets	DIN A3+		
6514420594	100 sheets	DIN A2		
6514432031	roll	43,2 cm x 30 m (17")	3" *	
6514610030	roll	61,0 cm x 30 m (24")	2"	
6514914030	roll	91,4 cm x 30 m (36")	2"	
6514107030	roll	106,7 cm x 30 m (42")	2"	
6514111030	roll	111,8 cm x 30 m (44")	2"	
6514999998	Sample	43,2 cm x 5 m (17")	3" *	



TECCO:PRODUCTION DIL Preproofer DUO Semimatt

(170 g/sqm)



Premium double side semimatt coated paper, high resolution, 1440 dpi for DUAL Proofs with the DIL Preproofer



6518610032	roll	61,0 cm x 30 m (24")	6"	
6518111032	roll	111,8 cm x 30 m (44")	6"	
6518999997	Sample	61,0 cm x 5 m (24")	6"	
6518999998	Sample	111,8 cm x 5 m (44")	6"	



Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW part no. unit size core price

Special characteristics
(depending on ink used)

3. Transparent printing media

TECCO:PRODUCTION Transparentpapier

(95 g/sqm)



Uncoated transparent paper for monochrome and colorline CAD, engineering and architectural applications

Responsible Forest Management
GFA-CoC-001725
© 1996 Forest stewardship Council A.C.

5990210297	200 sheets		DIN A4		
5990297420	200 sheets		DIN A3		
5990330483	200 sheets		DIN A3+		
5990420594	200 sheets		DIN A2		
5990480628	200 sheets		DIN A2+		
5990594841	200 sheets		DIN A1		
5990625914	200 sheets		DIN A1+		
5990841118	200 sheets		DIN A0		
5990914125	200 sheets		DIN A0++		
5990610050	roll	61,0 cm x 50 m (24")		2"	
5990914050	roll	91,4 cm x 50 m (36")		2"	
NEW 5990107050	roll	106,7 cm x 50 m (42")		2"	
5990999999	Sample	61,0 cm x 5 m (24")		2"	

TECCO:PRODUCTION Screen Film

(139 μ)

Crystal clear transparent film, polyester based, to be used as intermediate for offset and screen printing, also for poster and CAD applications

***) All roll units are supplied with each two adapters 3" to 2" core.**

6023210297	100 sheets		DIN A4		
6023297420	100 sheets		DIN A3		
6023330483	100 sheets		DIN A3+		
6023420594	100 sheets		DIN A2		
6023420015	roll	42,0 cm x 15,0 m (16')		1"	
6023420030	roll	42,0 cm x 30,5 m (16')		2"	
6023432031	roll	43,2 cm x 30,5 m (17")		3" *)	
6023457030	roll	45,7 cm x 30,5 m (18")		2"	
6023610030	roll	61,0 cm x 30,5 m (24")		2"	
6023914030	roll	91,4 cm x 30,5 m (36")		2"	
6023107030	roll	106,7 cm x 30,5 m (42")		2"	
6023111030	roll	111,8 cm x 30,5 m (44")		2"	
6023127030	roll	127,0 cm x 30,5 m (50")		2"	
6023137030	roll	137,2 cm x 30,5 m (54")		2"	
6023152030	roll	152,4 cm x 30,5 m (60")		2"	
6023999996	Sample	43,2 cm x 5 m (17")		3" *)	



Printing media

NEW	part no.	unit	size	core	price
-----	----------	------	------	------	-------

Special characteristics
(depending on ink used)

3. Transparent printing media

TECCO:PRODUCTION Backlit MP Universal

(140 μ)

Matt translucent polyester film for indoor and outdoor applications in light boxes, especially suitable for applications under high humidity and condensation conditions, universal use, instant drying and water resistant.

***) All roll units are supplied with each two adapters 3" to 2" core.**

6541210297	50 Sheets		DIN A4		
6541297420	50 Sheets		DIN A3		
6541330483	50 Sheets		DIN A3+		
6541420594	50 Sheets		DIN A2		
6541432021	roll		43,2 cm x 20 m (17")	3" *)	
6541610020	roll		61,0 cm x 20 m (24")	2"	
6541914020	roll		91,4 cm x 20 m (36")	2"	
6541107020	roll		106,7 cm x 20 m (42")	2"	
6541111020	roll		111,8 cm x 20 m (44")	2"	
6541127020	roll		127,0 cm x 20 m (50")	2"	
6541137020	roll		137,2 cm x 20 m (54")	2"	
6541152020	roll		152,4 cm x 20 m (60")	2"	
6541999997	Sample		43,2 cm x 5 m (17")	3" *)	



TECCO:PRODUCTION Backlit Supernova

(175 μ)

The Backlit Supernova is a microporous polyester film that distinguishes itself by a unique luminous quality. A high density could be achieved in combination with pigmented inks which allows to accent excellent shadow details. Furthermore this high quality film shows a superior ink saturation.

NEW	6760432020	roll	43,2 cm x 20 m (17")	2"	
NEW	6760610020	roll	61,0 cm x 20 m (24")	2"	
NEW	6760914020	roll	91,4 cm x 20 m (36")	2"	
NEW	6760107020	roll	106,7 cm x 20 m (42")	2"	
NEW	6760127020	roll	127,0 cm x 20 m (50")	2"	
NEW	6760152020	roll	152,4 cm x 20 m (60")	2"	
NEW	6760999999	Sample	43,2 cm x 5 m (17")	2"	



Printing media

NEW

part no.

unit

size

core

price

Special characteristics
(depending on ink used)

4. Self-adhesive printing media

TECCO:PRODUCTION 177 SA Matt (190 g/sqm)

120 g/sqm w/o paperback Self-adhesive paper, matt, high resolution, 1440 dpi
190 g/sqm with paperback

5993210297	50 sheets	DIN A4	
5993297420	50 sheets	DIN A3	
5993420594	100 sheets	DIN A2	
5993432021	roll	43,2 cm x 20 m (17")	3" *
5993610020	roll	61,0 cm x 20 m (24")	2"
5993914020	roll	91,4 cm x 20 m (36")	2"
5993914021	roll	91,4 cm x 20 m (36")	3" *
5993111020	roll	111,8 cm x 20 m (44")	2"
5993127020	roll	127,0 cm x 20 m (50")	2"
5993127021	roll	127,0 cm x 20 m (50")	3" *



***) All roll units are supplied with each two adapters 3" to 2" core.**

5993999997 **Sample** 43,2 cm x 5 m (17") 3" *

TECCO:PRODUCTION CHS-SMU/II SA Semiglossy (280 g/sqm)

190 g/sqm w/o backing Self-adhesive semi matt paper, PE coated, high resolution, 2880 dpi, suitable for both hot and cold lamination
280 g/sqm with backing

6026210297	50 sheets	DIN A4	
6026297420	50 sheets	DIN A3	
6026330483	50 sheets	DIN A3+	
6026420594	100 sheets	DIN A2	
6026480628	100 sheets	DIN A2+	
6026594841	100 sheets	DIN A1	
6026625914	100 sheets	DIN A1+	
6026841118	100 sheets	DIN A0	
6026914125	100 sheets	DIN A0++	
6026432021	roll	43,2 cm x 20 m (17")	3" *
6026610021	roll	61,0 cm x 20 m (24")	3" *
6026914021	roll	91,4 cm x 20 m (36")	3" *
6026107021	roll	106,7 cm x 20 m (42")	3" *
6026111021	roll	111,8 cm x 20 m (44")	3" *
6026127021	roll	127,0 cm x 20 m (50")	3" *



***) All roll units are supplied with each two adapters 3" to 2" core.**

6026999998 **Sample** 43,2 cm x 5 m (17") 3" *

Printing media

NEW

part no.

unit

size

core

price

Special characteristics
(depending on ink used)

4. Self-adhesive printing media

TECCO:PRODUCTION CHS-GLU/II SA Glossy

(280 g/sqm)

190 g/sqm w/o backing
280 g/sqm with backing

Self-adhesive glossy paper, PE coated, high resolution, 2880 dpi, suitable for both hot and cold lamination

*) All roll units are supplied with each two adapters 3" to 2" core.

6027210297	50 sheets	DIN A4	
6027297420	50 sheets	DIN A3	
6027330483	50 sheets	DIN A3+	
6027420594	100 sheets	DIN A2	
6027480628	100 sheets	DIN A2+	
6027594841	100 sheets	DIN A1	
6027625914	100 sheets	DIN A1+	
6027841118	100 sheets	DIN A0	
6027914125	100 sheets	DIN A0++	
6027432021	roll	43,2 cm x 20 m (17")	3" *
6027610021	roll	61,0 cm x 20 m (24")	3" *
6027914021	roll	91,4 cm x 20 m (36")	3" *
6027107021	roll	106,7 cm x 20 m (42")	3" *
6027111021	roll	111,8 cm x 20 m (44")	3" *
6027127021	roll	127,0 cm x 20 m (50")	3" *
6027999998	Sample	43,2 cm x 5 m (17")	3" *



TECCO:PRODUCTION Synthetic Paper WF/SA Matt

(160 g/sqm)

90 g/sqm w/o paperback
160 g/sqm with paperback

Self-adhesive polypropylene, strong and durable paper-like product, water resistant in combination with pigmented inks

*) All roll units are supplied with each two adapters 3" to 2" core.

6505432021	roll	43,2 cm x 20 m (17")	3" *
6505610021	roll	61,0 cm x 20 m (24")	3" *
6505914021	roll	91,4 cm x 20 m (36")	3" *
6505107021	roll	106,7 cm x 20 m (42")	3" *
6505111021	roll	111,8 cm x 20 m (44")	3" *
6505127021	roll	127,0 cm x 20 m (50")	3" *
6505999997	Sample	43,2 cm x 5 m (17")	3" *



Printing media

NEW

part no.

unit

size

core

price

Special characteristics
(depending on ink used)

4. Self-adhesive printing media

TECCO:PRODUCTION Vinyl WR/SA Matt

(300 µ)

175 g/sqm w/o paperback
315 g/sqm with paperback

Self-adhesive PVC, strong and durable paper-like product, water resistant in combination with pigmented inks

***) All roll units are supplied with each two adapters 3" to 2" core.**

6030210297	50 sheets	DIN A4		
6030297420	50 sheets	DIN A3		
6030330483	50 sheets	DIN A3+		
6030420594	100 sheets	DIN A2		
6030432021	roll	43,2 cm x 20 m (17")	3" *	
6030610020	roll	61,0 cm x 20 m (24")	2"	
6030914020	roll	91,4 cm x 20 m (36")	2"	
6030107020	roll	106,7 cm x 20 m (42")	2"	
6030112020	roll	111,8 cm x 20 m (44")	2"	
6030127020	roll	127,0 cm x 20 m (50")	2"	
6030137020	roll	137,2 cm x 20 m (54")	2"	
6030152020	roll	152,4 cm x 20 m (60")	2"	
6030999998	Sample	43,2 cm x 5 m (17")	3" *	



TECCO:PRODUCTION Vinyl WR/SA Glossy

(300 µ)

175 g/sqm w/o paperback
315 g/sqm with paperback

Self-adhesive PVC, strong and durable paper-like product, water resistant in combination with pigmented inks

***) All roll units are supplied with each two adapters 3" to 2" core.**

6766210297	50 sheets	DIN A4		
6766297420	50 sheets	DIN A3		
6766330483	50 sheets	DIN A3+		
6766420594	50 sheets	DIN A2		
6766432021	roll	43,2 cm x 20 m (17")	3" *	
6766610020	roll	61,0 cm x 20 m (24")	2"	
6766914020	roll	91,4 cm x 20 m (36")	2"	
6766107020	roll	106,7 cm x 20 m (42")	2"	
6766112020	roll	111,8 cm x 20 m (44")	2"	
6766127020	roll	127,0 cm x 20 m (50")	2"	
6766137020	roll	137,2 cm x 20 m (54")	2"	
6766152020	roll	152,4 cm x 20 m (60")	2"	
6766999998	Sample	43,2 cm x 5 m (17")	3" *	



Printing media

NEW

part no.

unit

size

core

price

Special characteristics
(depending on ink used)

4. Self-adhesive printing media

TECCO:PRODUCTION Screen Film SA

(189 µ)

140 µ w/o paperback
189 µ with paperback

Crystal clear transparent film, polyester based,
high resolution, self-adhesive

6751432020	roll	43,2 cm x 20 m (17")	2"
6751610020	roll	61,0 cm x 20 m (24")	2"
6751914020	roll	91,4 cm x 20 m (36")	2"
6751107020	roll	106,7 cm x 20 m (42")	2"
6751127020	roll	127,0 cm x 20 m (50")	2"
6751999999	Sample	43,2 cm x 5 m (17")	2"



5. Textile and textile-like printing media

TECCO:PRODUCTION 'Japan-Faser'

(80 g/sqm)

Non woven artificial paper, printable on both
sides, very strong, suitable for applications in
rooms with fire protection regulations

6048210297	50 sheets	DIN A4	
6048297420	50 sheets	DIN A3	
6048330483	50 sheets	DIN A3+	
6048329010	roll	32,9 cm x 10 m (13")	2"
6048432026	roll	43,2 cm x 25 m (17")	3" *)
6048610025	roll	61,0 cm x 25 m (24")	2"
6048914025	roll	91,4 cm x 25 m (36")	2"
6048107025	roll	106,7 cm x 25 m (42")	2"
6048111025	roll	111,8 cm x 25 m (44")	2"
6048127025	roll	127,0 cm x 25 m (50")	2"
6048137025	roll	137,0 cm x 25 m (54")	2"
6048152025	roll	152,4 cm x 25 m (60")	2"
6048999998	Sample	43,2 cm x 5 m (17")	3" *)



*) All roll units are supplied with
each two adapters 3" to 2" core.

Wipefast
Water resistant
Fire resistant
Class B1
(DIN 4102)

Printing media

NEW part no. unit size core price

Special characteristics
(depending on ink used)

5. Textile and textile-like printing media

TECCO:PRODUCTION TBW220 Textile Banner

(220 g/qm)




High-grade, water-resistant textile material (100% Polyester) with special, high-resolution matte inkjet coating. Ideal e.g. for displays, banners and other exciting product presentations. B1-certified, suitable for roll-up systems and grommeting

***) All roll units are supplied with each two adapters 3" to 2" core.**

	6754432121	roll	43,2 cm x 20 m (17")	3" *
	6754610021	roll	61,0 cm x 20 m (24")	3" *
	6754914021	roll	91,4 cm x 20 m (36")	3" *
	6754107021	roll	106,7 cm x 20 m (42")	3" *
	6754111021	roll	111,8 cm x 20 m (44")	3" *
	6754127021	roll	127,0 cm x 20 m (50")	3" *
	6754137021	roll	137,2 cm x 20 m (54")	3" *
	6754152021	roll	152,4 cm x 20 m (60")	3" *
	6754999999	Sample	43,2 cm x 5 m (17")	3" *
NEW	6754999998	Sample	61,0 cm x 5 m (24")	3" *



							Wipefast Water resistant Fire resistant Class B1 (DIN 4102)
Printing media	NEW	part no.	unit	size	core	price	Special characteristics (depending on ink used)
6. Complementary products							
TECCO:PRODUCTION Roll-Up Display 600 Roll-Up Display for 600 mm print media. Excellent results can be achieved with TECCO:PRODUCTION Roll-Up PET 220 and the B1 certified TECCO:PRODUCTION TBW220 Textile Banner	NEW	679000006					
TECCO:PRODUCTION Roll-Up Display 850 Roll-Up Display for 850 mm print media. Excellent results can be achieved with TECCO:PRODUCTION Roll-Up PET 220 and the B1 certified TECCO:PRODUCTION TBW220 Textile Banner	NEW	679000003					
TECCO:PRODUCTION Roll-Up Bundle 850/914 TECCO:PRODUCTION Roll-Up Display and 1 roll Roll-Up TECCO:PRODUCTION PET220 with 36" x 5 m	NEW	679000004					
TECCO:PRODUCTION Roll-Up Bundle 850/850 TECCO:PRODUCTION Roll-Up Display and 1 roll Roll-Up TECCO:PRUDUCTION PET220 with 850 mm x 5 m	NEW	679000005					

Product specifications and prices subject to change without prior notice.



Tecco GmbH

Buchholzstraße 79 - 51469 Bergisch Gladbach - Germany - Phone: +49-(0)2202-2924-0 - Fax: +49-(0)2202-2924-99

e-Mail: contact@tecco.de

<http://www.tecco.de>

November 2009

Sizes: *Photo 10x15: 102 x 152 mm*
US-executive: 184 x 267 mm
DIN A4: 210 x 297 mm
US-letter: 216 x 280 mm
US-legal: 216 x 356 mm
SUPER A4: 241 x 340 mm
US-tabloid: 280 x 432 mm
DIN A3: 297 x 420 mm
A3 ÜF: 305 x 457 mm
SRA 3: 320 x 450 mm
A3 Nobi: 328 x 453 mm
DIN A3+: 330 x 483 mm
A3++: 329 x 558 mm
DIN A2: 420 x 594 mm
DIN A2+: 480 x 628 mm
DIN A1: 594 x 841 mm
DIN A1+: 625 x 914 mm
DIN A0: 841 x 1189 mm
DIN A0++: 914 x 1250 mm
Banner 1: 328 x 900 mm
Banner 2: 215 x 1200 mm
Banner 3: 328 x 1200 mm
Banner 4: 297 x 900 mm
Banner 5: 215 x 900 mm
Banner 6: 297 x 840 mm
Banner 7: 297 x 1200 mm
Banner 8: 320 x 1200 mm

